

LIQUID FEED PROGRAM

← Mixing Order	FLORAPRO® LIQUID Feed rates in mL/gal	Propagation	Vegetative	Early Flower	Mid Flower	Late Flower	Finish
	FloraPro® Grow A	7	12	–	–	–	–
	FloraPro® Grow B	7	12	–	–	–	–
	FloraPro® Bloom A	–	–	14	13	8	4
	FloraPro® Bloom B	–	–	14	13	8	4
	FloraPro® PK+	–	–	2	4	5	7
	FloraPro® FUL+	–	2	2	4	4	4
	TrueFlo	3	5	5	5	5	5 - 9
	Nitrogen (ppm)	130	230	200	190	120	65
	Target pH	5.5 - 5.8	5.6 - 6.1	5.7 - 6.2			
	EC (mS/cm)	1.4 - 1.6	2.4 - 2.6	2.6 - 2.8	2.5 - 2.7	1.8 - 2.0	1.2 - 1.4

Using a mixing chamber is recommended between the injection of each input.

Coco & Rockwool

← Mixing Order	FLORAPRO® LIQUID Feed rates in mL/gal	Propagation	Vegetative			Early Flower			Mid Flower			Late Flower		Finish
		Wk 1	Wk 1	Wk 2	Wk 3	Wk 1	Wk 2	*Wk 3	Wk 4	Wk 5	Wk 6	Wk 7	Wk 8	Wk 9
	FloraPro® Grow A	7.0	12	12	12	–	–	–	–	–	–	–	–	–
	FloraPro® Grow B	7.0	12	12	12	–	–	–	–	–	–	–	–	–
	FloraPro® Bloom A	–	–	–	–	14	14	14	13	13	13	8	8	4
	FloraPro® Bloom B	–	–	–	–	14	14	14	13	13	13	8	8	4
	FloraPro® PK+	–	–	–	–	2	2	2	4	4	4	5	5	7
	FloraPro® FUL+	–	2	2	2	2	2	2	4	4	4	4	4	4
	TrueFlo	3	5	5	5	5	5	5	5	5	5	5	5	5 - 9
	Nitrogen (ppm)	130	230	230	230	200	200	200	190	190	190	120	120	65
	Target pH	5.5 - 5.8	5.6 - 6.1			5.7 - 6.2								
	EC (mS/cm)	1.4 - 1.6	2.4 - 2.6			2.6 - 2.8			2.5 - 2.7			1.8 - 2.0		1.2 - 1.4

*For an 8-week flowering schedule, reduce the 'Early Flower' phase by one week.